

Eigday Power Electronics Limited.

4/F Bldg B, Yixing Ind. Estate, Liaokeng,Shiyan, Shenzhen 518102,China

TEL.86-755-21141499

Fax. 86-755-23020390

Heated Gloves Accessories Quotation

No.	Model	Description	Weight	Unit Price	Picture
1	GB-2200	3.7V,2200mAh with 3.7V, 1100mAh*2 Lithium polymer battery pack	130		
2	GB-2600	3.7V, 2600mAh 3.7V, 1300mAh* 2 Lithium polymer battery pack	180		
3	GB-4400	3.7V, 4400mAh 3.7V, 2200mAh *2 Lithium polymer battery pack	170		
4	GB-7000	3.7V, 7000mAh 3.7V, 3500mAh*2 Lithium polymer battery pack	240		
5	GBD-4400	7.4V,4400mAh 7.4V,2200mAh *2 Lithium polymer battery pack	260		
6	GBD-5200	7.4V,5200mAh 7.4V,2600mAh*2 Lithium polymer battery pack	300		
7	GBD-7000	7.4V, 7000mAh 7.4V, 3500mAh*2	380		

		Lithium polymer battery pack			
8	GC-001	3.7V-4.25V battery charger Current: 500MA*2 IC control the current and voltage. Two colour LED charging indicator constant current and constant Volatage	110		
9	GC-002	3.7V-4.25V battery charger Current: 1000MA*2 IC control the current and voltage. Two colour LED charging indicator constant current and constant Volatage	125		
10	GC-003	3.7V-4.25V battery charger Current: 2000MA*2 IC control the current and voltage. Two colour LED charging indicator constant current and constant Volatage	135		
11	GC-004	7.4V-8.4V battery charger Current: 600MA*2 IC control the current and voltage. Two colour LED charging indicator constant current and constant Volatage	130		
12	GC-005	7.4V-8.4V battery charger Current: 1000MA*2 IC control the current and voltage. Two colour LED charging indicator constant current and constant Volatage	140		
13	GC-006	7.4V-8.4V battery charger Current: 1500MA*2 IC control the current and voltage. Two colour LED charging indicator constant current and constant Volatage	145		
13	GU-001	3.7V-4.25V battery charger Current: 500MA*2 IC control the current and voltage. Two colour LED charging indicator constant current and Volatage UK,EU,AU,US plug.	135		
14	GD-001	3.7V-4.2V battery Car charger Input: 12V Output: 3.7V-4.2V Current: 500mA*2 Two colour LED charging indicator	100		
		7.4V-8.4V battery Car charger			

15	GD-002	Input: 12V Output:7.4V-8.4V Current: 500mA*2 Two colour LED charging indicator	105		
16	GS-001	Silicone controller for gloves 3 levels, 33%, 66%,100%. One second interal 3 colour LED power indicator One button Control For 3.7V battery pack and charger	15		
17	GS-002	Silicone controller for gloves 3 levels, 33%, 66%,100%. One second interal 3 colour LED power indicator Two button Control For 3.7V battery pack and charger	15		
18	GS-003	Silicone controller for gloves 3 levels, 33%, 66%,100%. One second interal 3 colour LED power indicator One button Control For 7.4V battery pack and charger	20		
19	GS-004	Silicone controller for gloves 3 levels, 33%, 66%,100%. One second interal 3 colour LED power indicator One button Control For 7.4V battery pack and charger	20		
20	GH-001	Heating elements non-woven fabrics copper wire resistance.	15		
21	GB-001	Cable for the heating elements cable for the battery pack cable for the charger cable for the controllers	5		